

HTML i CSS kod

```
<!doctype html>
<html>
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <title>Galerija slika</title>
    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
    <script src="https://kit.fontawesome.com/511f8ede26.js" crossorigin="anonymous"></script>
    <style type="text/css">
      .jumbotron {
        color: #2c3e50;
        background: #ecf0f1;
        margin-top:10px;
        padding:10px;
      }
      .img-thumbnail{
        width:100%;
        .fas fa-image{
          padding-top:5px;
          margin-top:10px;
        }
      }
    </style>
  </head>
  <body>
    <!-- Kreiranje navbara. Iskopira se difoltni, obrišu viškovi i doda Link2-->
    <nav class="navbar navbar-expand-sm navbar-dark" style="background-color: #2c3e50;">
    <div class="container">
```

```
<!-- hamburger meni-->
```

```
  <a class="navbar-brand" href="#"><i class="fas fa-image"></i> Slike</a>
```

```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-  
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"  
aria-label="Toggle navigation">
```

```
  <span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
  <div class="collapse navbar-collapse" id="navbarSupportedContent">
```

```
    <ul class="navbar-nav mr-auto">
```

```
      <li>
```

```
        <a class="nav-link" href="#">Početna </a>
```

```
      </li>
```

```
      <li class="nav-item">
```

```
        <a class="nav-link" href="#">Kontakt</a>
```

```
      </li>
```

```
    </ul>
```

```
      <!-- Kreiranje diva da bi se dva linka našla desno-->
```

```
    <div>
```

```
      <ul class="navbar-nav mr-auto">
```

```
        <li class="nav-item">
```

```
          <a class="nav-link" href="#">Sign In </a>
```

```
        </li>
```

```
        <li class="nav-item">
```

```
          <a class="nav-link" href="#">Login</a>
```

```
        </li>
```

```
      </div>
```

```
    </div>
```

```
  </div>
```

```
</nav>
```

```
<div class="container">
```

```
<!-- 1. klasa koju kreiramo -->
```

```
  <div class="jumbotron">
```

```
<h1><i class="fas fa-camera-retro"></i> Galerija slika</h1>
```

```
<p>Galerija slika domaćih i divljih životinja</p>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-lg-4 col-sm-6">
```

```
<div></div>
```

```
</div>
```

```
<div class="col-lg-4 col-sm-6">
```

```
<div></div>
```

```
</div>
```

```
<div class="col-lg-4 col-sm-6">
```

```
<div></div>
```

```
</div>
```

```
<div class="col-lg-4 col-sm-6">
```

```
<div></div>
```

```
</div>
```

```
<div class="col-lg-4 col-sm-6">
```

```
<div></div>
```

```
</div>
```

```
<div class="col-lg-4 col-sm-6">
```

```
<div></div>
```

```
</div>
```

```
<div class="col-lg-4 col-sm-6">
```

```
<div></div>
```

```
</div>
```

```
<div class="col-lg-4 col-sm-6">
```

```
<div></div>
```

```
</div>
```

```
<div class="col-lg-4 col-sm-6">
```

```
<div></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Optional JavaScript -->
```

```
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
```

```
<script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n" crossorigin="anonymous"></script>
```

```
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" integrity="sha384-Q6E9RHvblyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous"></script>
```

```
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js" integrity="sha384-wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6" crossorigin="anonymous"></script>
```

```
</body>
```

```
</html>
```